

Put color to work for you!











## Lexmark X560n

Effective color for medium-sized workgroups!



- Color laser multifunction device
- Print up to 31 ppm black, 20 ppm color
- Newly enhanced toner
- Easy to share; easy to use

X560n

### Lexmark X560n



# Great value for your everyday color needs

Printing should be as attractive on your budget as it is on your documents. Built for demanding medium-sized workgroups, the Lexmark X560n MFP brings you a world of cost-saving benefits. By merging print, copy, fax and scan into one high-performance network device, you save considerably on office space, hardware costs, consumables, service contracts and energy. But why stop there? Opt for the high-yield cartridges to drive down your cost per page. Add the optional duplex unit to save paper, money and the environment – all at the same time!

### **Elevate office productivity!**

The Lexmark X560n is robust, reliable and ready to go to work with PostScript 3 and PCL 6 compatibility. It is perfect for integration into any IT environment. Need to copy a large presentation before lunch? No problem. Just load the 50-page Automatic Document Feeder and zip through your document. More than just fast, the X560n gives you a range of efficiency-boosting features too, like a multipurpose feeder, fax speed dials and intuitive workflow software to digitize, manage, search and edit documents with ease.

### Lexmark X560n

### An effortless way of working

A plug-and-print solution, everything about the Lexmark X560n is straightforward and simple. The consumables are 100% front-loading, so they take just seconds to replace. The operator panel offers a variety of intuitive features to simplify everyday workflow tasks. For instance, it includes a handy jobcancel button to put the brakes on print runs quickly, so you don't waste paper. The 4-line graphical display guides you through printing and maintenance tasks with ease. You get the tools you need to help maximize uptime and boost productivity!

### Color you can be proud of

Studies show that color can increase brand recognition and reader retention by up to 80%, and that more than 60% of buying decisions are based on color! \* Even a little bit of color can make a big difference in your business. So when you can acquire color that's fast and affordable as well as eye-catching, why settle for anything less? Combining newly enhanced toner, Pantone calibration and crisp 2400 Image Quality, the Lexmark X560n is perfect for all your important document needs – from presentations and office memos to spreadsheets and newsletters.

\* Source: InfoTrends 2007

#### Optional features to increase efficiency!



#### **Duplex print unit**

What better way to reduce costs while promoting earth-friendly practices in your business? With two-sided printing, everyone wins. Save paper, money and the environment!

### **Extra drawer with floor stand**

To load a second paper type or increase your input capacity, add the extra 550-sheet drawer. It comes with a flexible floor stand that gives you extra storage space.

Lexmark's guarantee to you: At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. Our X560n MFP includes our solid service warranty of One-year Onsite Repair, with a response time of next business day \*. For an even greater level of peace of mind, you can opt for one of our extended-warranty service offerings. For more information on any of these offerings, contact your local dealer or visit us today at www.lexmark.com. \*In serviceable areas



### Lexmark X560n

#### The ideal color MFP for medium-sized workgroups

Designed especially for medium-sized workgroups that want quality color and increased productivity, Lexmark's network-ready X560n MFP delivers high-performance printing, copying, scanning and faxing. This is the perfect solution for your everyday color needs! Options include duplex printing and additional input capacity.

Print Technology

Color Laser

Print Speed (A4, Black)

Up to 30 ppm

Print Speed (A4, Color)

Up to 20 ppm
Print Speed (Letter, Black)

Up to 31 ppm

Print Speed (Letter, Color) Up to 20 ppm

Time to First Page (Black)

As fast as 10 seconds
Time to First Page (Color)

As fast as 10 seconds

Copy Speed (A4, Black) Up to 30 cpm

Copy Speed (Letter, Black) Up to 31 cpm

Time to First Copy (Black)

As fast as 11 seconds

Print Resolution, Black 2400 Image Quality

600 x 600 dpi

Print Resolution, Color 2400 Image Quality, 600 x 600 dpi

Processor

400 MHz

Memory, Standard 384 MB

Memory, Maximum

1408 MB Expandable Memory Options

Vac

#### Citrix MetaFrame

Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows Server 2003 running Terminal Server with Citrix Presentation Server 4.0, Microsoft Windows Server 2003 x64 Edition (Standard, Enterprise) running Terminal Server with Citrix Presentation Server 4.0 with Citrix Presentation Server 4.0

Linux Operating Systems Supported Red Hat Linux 8.0, 9.0, SUSE Linux 9.2, 9.3, Red Hat Enterprise Linux WS 3.0, 4.0

#### Microsoft Windows Operating Systems Supported

2000, XP, Server 2003, XP x64, Server 2003 x64 Edition, Vista, Vista x64

**UNIX Operating Systems Supported** Sun Solaris SPARC 9, 10 Paper Handling Standard

150-Sheet Multipurpose Feeder, 250-Sheet Input Tray, 350-Sheet Output Bin

Paper Handling Optional 550-Sheet Drawer, Duplex Unit

Paper Input Capacity (Standard) 400 pages 20 lb or 75 gsm bond

Paper Input Capacity (Maximum) 950 pages 20 lb or 75 gsm bond

Paper Output Capacity (Standard) 350 pages 20 lb or 75 gsm bond

Paper Output Capacity (Maximum) 350 pages 20 lb or 75 gsm bond

ADF Paper Input Capacity Up to 50 pages 20 lb or 75 gsm bond Finishing Option

Number of Paper Inputs, Standard

Number of Paper Inputs, Maximum

Media Types Supported

Card Stock, Envelopes, Glossy paper, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide

Media Sizes Supported

10 Envelope, 7 3/4 Envelope, A4, A5, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal

#### Standard Ports

Centronics IEEE 1284 Bidirectional Parallel, Ethernet 10/100BaseTX (RJ-45), USB 2.0 Specification Hi-Speed Certified

Optional Network Ports

Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), External MarkNet™ N7002e Fast Ethernet (garallel), Internal Multiprotocol Card

Network Printing Methods LPR/LPD, Direct IP (Port 9100), HTTP, FTP

Network Protocol Support TCP/IP IPv4

#### Printable Area

4.1 mm of the top, bottom, right and left edges (within)

Printer Languages (Standard)

PCL 6 Emulation, Adobe PostScript® 3  $\,$ 

Reduce / Enlarge Range

25 - 400 %

Scan Area, Maximum 215.9 x 355.6 mm

215.9 x 355.6 mm Modem Speed

33.6 Kbps

Power cord, RJ-11, 4-wire phone cable, Phone adapter, Statement of limited warranty, Operator panel language overlays, Safety sheet or booklet

#### Supplies Yield

10,000\*-page black and color High Yield Print Cartridges, \*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798., Ships with 4,000\*-page color Print Cartridges and 5,000\*-page black starter Print Cartridge, 4,000\*-page color Print Cartridges (CMY)

Packaged Size (in. - H x W x D)

36.2 x 23 x 27.6 in.

**Size (in. - H x W x D)** 28.7 x 18.1 x 20.67 in.

Weight (lb.)

88.2 lb.

Noise Level, Idle

28 dBA

**Print Noise Level, Operating** 

52 dBA

Copy Noise Level, Operating 52 dBA

Scan Noise Level, Operating

45 dBA

**Product Warranty** 

One Year Onsite Repair, Next Business Day

**Product Certifications** 

FCC Class B, UL 60950-1, U.S. FDA, IEC 60320-1, CAN/CSA-C22.2 60950-1-03, ICES-003 Class B, CE Class B, CB IEC 60950-1, IEC 60825-1, EU-CE, GS (TÜVR), SEMKO, UL AR, CS, TÜV R, SS-337, K60950, MIC, ACA C-tick mark Class B, BSMI Class B, CCC Class B

Specified Operating Environment

Temperature:

10 to 32°C (50 to 90°F), Altitude: 0 - 3100 Meters (10,170 Feet), Humidity: 15 to 85% Relative Humidity

#### In the Box

Lexmark X560n color laser multifunction printer, Up to 4,000\* page color Print Cartridges (CMY), Up to 5,000\*\* page black starter Priint Cartridge (K), Software and documentation CD, Setup sheet,


Lexmark and Lexmark with diamond design, ImageQuick, MarkNet, MarkNision, Optra and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. Linea, PerfectFinish, Printcryption and StapleSmart are trademarks of Lexmark International, Inc. IBM is a registered trademark of the International. Business Machines Corporation in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. All other trademarks are the properties of their respective owners.





# Ordering Information

### Lexmark X560n



Paper Handling Standard

Paper Handling Optional

Part #	Model
14A1010	Lexmark X560n
Part #	Laser Toner/Print Cartridge
X560H2KG	X560 Black High Yield Print Cartridge
X560H2CG	X560 Cyan High Yield Print Cartridge
X560H2MG	X560 Magenta High Yield Print Cartridge
X560H2YG	X560 Yellow High Yield Print Cartridge
X560A2CG	X560 Cyan Print Cartridge
X560A2MG	X560 Magenta Print Cartridge
X560A2YG	X560 Yellow Print Cartridge
Part #	Paper & Transparencies
12A8240	Professional Color Laser Transparencies, Letter
12A5950	Glossy Laser Paper, Letter (200)
Part #	Paper Handling
14A1121	X560 Duplex Unit
14A1120	X560 550-Sheet Drawer Stand
Part #	Flash, SDRAM Memory
1025041	256MB DDR2-DRAM
1025042	512MB DDR2-DRAM
1025043	1024MB DDR2-DRAM
Part #	Connectivity
14A1122	X560 Multi-Protocol Card
1021294	USB (2 Meter) Cable
14T0145	Lexmark N4050e 802.11g Wireless Print Server
14T0220	MarkNet™ N7020e Gigabit Ethernet Print Server
14T0230	MarkNet™ N7000e Fast Ethernet Print Server - USB
14T0240	MarkNet™ N7002e Fast Ethernet Print Server - Paralle
1021231	Parallel (10') Cable
Part #	Extended Warranties
2349754	1 Year OnSite Repair Extended Warranty
2349755	2 Year OnSite Repair Extended Warranty





