The NEC IT1825 The Document Communicator Empowered by Innovation

The NEC IT1825 All-in-one document solution

The digital copier,
printer, scanner, fax,
network fax, IP,
email, Internet
document
communicator.

Don't settle for print and scan. Share your documents via a variety of mediums, including PC, network, IP, email and the Internet.

It's Friendly

With its 18-cpm digital engine and full 11x17 inch (ledger) size capabilities, the NEC IT1825 is perfect for workgroups and offices that require a variety of ways to distribute their document information. The beautiful design of the new NEC IT1825 is a backdrop for a large easy-to-operate touch screen, while its easy access and wingless design offers accessibility and convenient space usage.

It's Productive

Found normally on high-end units, the NEC IT1825 touch screen offers fast access to operation features and an easy-to-use QWERTY keyboard for email addressing and naming functions. Because of its fast learning curve, users make fewer mistakes and achieve productivity quicker. The unique panel also tilts so you





can customize the angle for your preferred access position.

It's Clear

The high-end, platen and automatic duplex document feeder provides fast input and high-resolution output for high quality copies, great image scanning and high resolution communications. Quick changing universal cassettes hold up to 11 x 17 inch



ledger-size paper. The unit automatically recognizes the paper size you have loaded. With four available paper sources, the unit provides up to a 1750-sheet capacity.

Front Access and Consumables

Self-contained consumables on the NEC IT1825 make it easy to replace toner and consumables without all the mess.



It's Facsimile

Your NEC IT1825 offers up to two fax ports for simultaneous sending and receiving, doubling your fax power with the highest fax speeds available (super G3 at 33.6 bps with JBIG coding). With the unit's ability to integrate network applications, incoming faxes can be automatically archived to a file on the network or to a user's email. The

NEC IT1825 can also archive all incoming and outgoing fax traffic in PDF or Tiff formats. As an added security feature, your unit can store incoming faxes in the memory during designated time periods.

PRINTING

For great network and PC printing, the NEC IT1825 offers PCL6 and PostScript printing at up to 11x17 ledger output with printer management software. Features include watermarks, forms and image overlay, page numbering, time and job names, labels and poster mode to name a few.



SCANNING

Duplex scanning provides PDF and Tiff format conversion network file scanning to your desktop and your document management software. NEC special Image-Receiver software automatically sorts your scanning for easy filing and easy integration to your document management software.

EMAIL COMMUNICATIONS AND INTERNET FAXING

The QWERTY keyboard and up to 810 one-touch keys makes it easy to send emails. Email integration means you can email a paper document from your unit. Fax worldwide with no phone line cost when sending to other Internet fax-capable units.



becomes your network fax hub. Simply send from your desktop PC and the NEC IT1825 will route faxes for you.

IP COMMUNICATIONS

Send documents from the NEC IT1825 directly over your IP network and use your Intranet security to protect your information.



Base unit



Base unit plus available cassette



Base unit plus available cassette with tall stand



Base unit plus available cassette and dual cassette with short stand

NEC IT1825

Specifications

Copy Print Speed	d — 600 x 600 dpi		Communications		
	Letter	18 cpm	Standard	Facsimile	Super G3, 33.6K bps with JBIG coding (V.34 + v8). 300 one-touch destination
	Legal Ledger	11 cpm 10 cpm	Available	Facsimile	Second Dual Simultaneous Super G3 33.6k bps with JBIG coding (V.34 + V.8)
	FCT	7 Seconds		TX Stamp	Successful Transmission Stamp
				One Touch	One-Touch Dial upgrade (810 total one-touch
)	Duty Cycle	Up to 15K images/month			destinations)
Paper Supply/Handling Standard Paper Cassette 1 One		One 250-sheet universal User adjustable up to Ledger size.		Internet Fax	(T.37 compatible) send and receive from any T.37 fax unit, Emails attached Tiff file, up to 600 x 600 dpi
	Output Tray	250-sheet		Network Faxing	Unlimited users, 1500 destinations, up to
Available	Paper Cassette	500-sheet universal casseette			Ledger size, up to 400 x 400 dpi, Windows OS Application SW
	Dual Paper Cassette	User adjustable up to Ledger size. Two 500-sheet universal cassettes		E-Mail Transmission	Email attached file Tiff and PDF formats, up to Ledger size, up to 600 x 600 dpi
	Soul Lupel Cussello	User adjustable up to Ledger size. (1000-sheets total)		IP Transmission	Internet NEC to NEC IT series up to Ledger size, up to 600 x 600 dpi, data format Tiff
		Requires available Paper Cassette and Short stand.	Printer — 600 x 600 dpi		
	Short Stand	Provides console height and storage. Required for Dual Paper Cassette.	Available	PCL6	Windows 95/98, 2000, 2003, Me, NT4.0, XP
	Tall Stand	Provides console height and storage for available Paper Cassette configuration.		PostScript 3	Windows 95/98, 2000, 2003, Me, NT4.0, XP
canner — 600 x 600 dpi, includes: Photo, Text and Photo & Text modes				Memory	64 MB Standard 128 MB Available addition
Standard	ADFR	Automatic Document Feeder Reversing 50-page, double-sided, 256 shades of grey scale, 0.66 seconds for scanning at 200 x 200 dpi, 1.7 seconds for scanning at 600 x 600 dpi.		Network Interface Card	100Base TX/10Base-T
				USB	Revision 2.0 compliant
				Parallel	IEEE 1284
			Management		
Available	Scan to File	Preset-scan and One-touch scan. Networked unlimited users. Fille format Tiff and PDF. Up to Ledger size, up to 600 x 600 dpi, Windows OS Applications SW	Available	PI Printer Management	Web-based
				Fi Agent Management	Web-based
			Discrete	Unit Remote Diagnostics	Modern
		Windows OS Applications SW	Physical	Watts	Maximum 1,400 W, Minimum 5 W Power
	Scan to Email	Email attached file Tiff and PDF formats, up		WUIIS	Save mode, Energy Star-rated
	16	to Ledger size, up to 600 x 600 dpi		Power Requirements	120 V AC 50/60 Hz. 12 Amps
	nd Communications			Weight	101 lbs. (base model)
Standard	11 MB	(75 H)		Dimensions	22.0" H x 21.0" W x 22.5" D
Available	64 MB	(75 MB total)			
Consumables					
	Toner Cartridge 10,100) @ 6% (multi-print)			
	Drum Cartridge 44,200) (multi-print)			
	Iridescent TX stamp				
			_		

Immediate Nationwide Help

With the purchase of your NEC IT and NEC NEFAX equipment, you gain access to NEC's National Diagnostics Support Center, where help is always at your fingertips. NEC employees will happily answer your questions and help you solve any problems. Just call 1-800-232-9632.

and versatile document solutions can work for you, visit our website at www.necunifiedsolutions.com



To find out more about the NEC IT1825 and how NEC's powerful