

copy print scan fax

Fits your desktop. Fits your budget. Fits your Workgroup's needs.



The WorkCentre 4118 multifunction is a great way for you to save space and gain efficiency by consolidating all of your devices into one. You get copy and print features rarely seen in this price range – along with fax and scanning capabilities that are always appreciated in a busy office.





WorkCentre® 4118

High-profile features in one low-profile, low-cost package

You can now combine all of the functions you use every day in one affordable device. That's a lot of power at your fingertips.


- Down-to-earth pricing will appeal to the costconscious.
- Operating one device that does the work of four reduces operating costs and service calls.
- A range of special copy features you'd expect in a much more expensive device, including Collation, ID Card Copy, Auto Fit, Edge Erase, Margin Shift, Book Copy, Covers, Transparency mode, Create Booklet mode, and more.
- Includes cost-saving features like two-sided printing, scanned document management software, and print, copy, fax selections to reduce paper and toner usage.

Multidimensional multifunction

The WorkCentre 4118 offers a lineup of advanced features in two configurations that make business sense, the 4118p (copier/printer) and the 4118x (copier/printer/scanner/fax). You can add options to both configurations as your business grows.

- Every office accumulates paper. With the WorkCentre 4118x scanning software, you can scan black-and-white or color documents straight to your PC, where you can edit and organize them.
- The fax function offers 8 MB of memory, image resolution up to 406 x 392 dpi, and speeds as high as 3 seconds per page, depending on your connection. You can send color faxes, too.
- The straightforward, intuitive control panel makes it easy to find your way around.
- Compact size, but a huge impact on your workflow. Use it as a desktop or add an extra paper tray and convenient cabinet stand for easy access for everyone in the office.
- Options include a second paper tray, cabinet stand, network kit, and foreign device interface.

The control panel is simple and intuitive.



Support your local workgroup

The hard working WorkCentre 4118 has the features to handle everyday use by your workgroup.

- Copy and print at 18 ppm.
- Supports multiple projects with trays that hold up to 1,200 sheets of paper. Spend more time printing and a lot less time reloading.
- Install the optional network card and share the printer feature with your entire office.
- Organize paper clutter in your office the easy way by scanning it all into PDFs (see sidebar).





Manage your printer from a Web browser with CentreWare IS software included in the optional network card.

The power of scanning

Use the power of scanning on the WorkCentre 4118x to efficiently organize, edit, and distribute information by scanning documents straight to your PC.

The bundled Nuance[®] scanning software transforms loose paper into digital formats and integrates them into your workflow:

- Nuance[®] OmniPage[®] quickly converts paper documents into editable and searchable digital documents with accurate page layouts and formats.
- Nuance[®] PaperPort[®] uses a thumbnailbased Visual Desktop that lets you instantly view and organize scanned paper and formats including PDFs, TIFFs, and MS Office documents.



www.xerox.com/office

Call today. For more information, call 1-877-362-6567 or visit us at www.xerox.com/office





copy print scan fax

CONFIGURATIONS		WorkCentre 4118p	WorkCentre 4118x
Speed		Up to 18 ppm (letter) / 17 ppm (A4)	
First-Page-Out Time		As fast as 10 seconds	
Paper Handling Paper Input Standard		Platen	Automatic Document Feeder: 40 sheets
		Bypass Tray: 100 sheets, Size: Custom sizes to 8.5 x 14 in./A4 Tray 1: 550 sheets, Size: Custom sizes to 8.5 x 14 in./A4, Auto Tray Switching Capable	
	Optional	Tray 2: 550 sheets, Size: Custom sizes to 8.5 x 14 in./A4 Automatic Document Feeder: 40 sheets	Tray 2: 550 sheets, Size: Custom sizes to 8.5 x 14 in./A4
Paper Output		250-sheet Output Tray	
Copy Copy Resolution		600 x 600 dpi	
Copy Features		Auto Fit, Auto Suppress, Book Copy, Booklet Mode, Clone, Collation, Covers, Create Booklet, Edge Erase, ID Card Copy, Margin Shift, N-Up, Transparency	
Print Print Resolution		1200 x 1200 dpi	
Print Features		Automatic Two-sided, Poster, Booklet Printing, Fit to Page, Reduce/Enlarge, Up to 16 Pages Per Side, Cover Pages, Collate, Watermark	
Fax		NA	Walk-Up Fax (33.6 Kbps with JBIG Compression)
Fax Features		NA	Secure Fax: Receive Mode, Secure Mailbox Toll Save, Priority Transmission, Polling, Forwarding, Send Color Fax
Scan		NA	Scan to Desktop, bundled OCR software (Nuance PaperPort® SE 10.0, Nuance OmniPage® SE 4.0), Color Scan Capable
Duty Cycle		Up to 20,000 pages / month	
Other Options		Network Kit, Foreign Device Interface Kit, Cabinet Stand	

DETAILED SPECIFICATIONS

Copy

Reduce/Enlarge Platen: 25 – 400% in 1% increments; ADF: 25 – 100% in 1% increments Productivity: Scan One Print Many, Electronic Pre-Collation

Multiple Copies: Up to 999 copies of multiple page originals

Print

Controller: 240 MHz Device Memory: 64 MB Print Drivers: Windows 98/NT4.0/2000/Me/XP, Mac OS, Linux Connectivity: USB, Parallel, optional 10/100 BaseT Ethernet

Language Support: PCL5e/PCL[®]6 emulation, PostScript 3 emulation (optional)

Scan (4118x)

Compatibility: TWAIN standard Technology: Direct Connect to PC (USB); Parallel Port, IEEE 1284

Scan Resolution: Optical Resolution: 600 x 600 dpi; Interpolated Resolution: 4800 dpi; Pre scan: 75 dpi Scan Depth: Monochrome: 1 bit for Linearity and Halftone, 8 bit (external), 12 bit (internal) for Grayscale Color: 24 bit (external), 36 bit (internal) Scan Driver: TWAIN, WIA

Fax (4118x)

Fax Resolution: Up to 406 x 392 dpi Memory: 8 MB (640 pages) Communication Mode: Half Duplex Data Compression: JBIG, MMR/MR/MH (JPEG for color fax transmission) Dialing: Up to 200 Speed / Group Dial locations Halftones: 256 levels Battery Backup: Up to 72 hours when fully charged

Device Management

CentreWare Internet Services, CentreWare Web, NDPS, HP Openview, and Control Centre 5.0

Media Handling

Bypass Tray: 16-43 lb. bond / 60-163 gsm Trays 1 and 2: 16-24 lb. bond / 60- 90 gsm Maximum Duplex: 16-20 lb bond / 60-75 gsm Media Types: Paper, envelopes, labels, transparencies

Operating Environment

Temperature: Maximum Range: $50^{\circ} - 90^{\circ}F / 10^{\circ} - 32^{\circ}C$ Recommended Range: $60^{\circ} - 85^{\circ}F / 16^{\circ} - 30^{\circ}C$ Humidity: Maximum Range: 20 - 80 RH Recommended Range: 30 - 70 RH

Electrical

Power: 110 - 127 V, 5.5 A 220 - 240 V, 3.5 A Power consumption: Normal Operation: 340 watts, Ready Mode: 84 watts, Power Saver Mode: 16 watts ENERGY STAR® Compliant Sound power levels: Run: 7.1 (B) Lwa, Standby: 5.1 (B) Lwa **Physical Dimensions** (*W*x*D*x*H*) 4118p: 22 x 16.9 x 15.6 in. / 560 x 430 x 395 mm Weight: 55.8 lb. / 25.3 kg 4118x: 22 x 16.9 x 17.9 in. / 560 x 430 x 455 mm

Weight: 59 lbs / 26.8 kg

Supplies

Approximate Yields Toner – Black: 8,000 pages* (ships with 4,000 page cartridge) Drum Cartridge – 20,000 pages

*Toner cartridge yields are determined in accordance with ISO/IEC 19752, a standard for testing toner cartridge yields for monochrome laser printers.

Agency Approvals UL 60950-1 2003 CE, Nemco EN60950-1:2001 cUL



© 2006 Xerox Corporation. All rights reserved. Xerox[®], and WorkCentre[®] are trademarks of Xerox Corporation. OmniPage[®] and PaperPort[®] are registered trademarks of Nuance, Inc. ENERGY STAR[®] is a registered mark. As an ENERGY STAR[®] Partner, Xerox Corporation has determined that these products meet the ENERGY STAR[®] guidelines for energy efficiency. Product information and/or specifications are subject to change without notice. 6/06 610P725870B W41BP-01UC