



C20

M20/M20i

copy print scan fax email

Power and Performance within reach



Office machines

with the drive to SUCCEEd



Meet the CopyCentre® C20 digital copier, WorkCentre® M20 and WorkCentre® M20i copier-printers: our newest business class machines. They perform basic office tasks with intelligence, and demonstrate a knack for high-level performance, day in and day out. The tools you need, at three feature-rich levels...all of which sit comfortably on a desktop.

Extremely simple to use

Intuitive, simple to operate and incredibly convenient. Start with straightforward copy features that are a breeze to use. And add the functionality of network printing, fax and scan-to-email capabilities.

- · Walk-up easy copying
- Interface is easy to understand at a glance.
 Press a few buttons and your task is complete
- · High-quality printing on a wide range of media
- Simple print drivers for fast installation and instant productivity (M20/M20i)
- Powerful faxing in color or black-and-white (M20i)
- Scan in color or black-and-white (M20/M20i)
- Simple scanning direct to PC through USB connection (M20/M20i)

Extra smart design

Intelligent design and thoughtful feature set reduces the effort devoted to basic office tasks.

- Print directly from your network or from the Internet (networked models*)
- Scan to email addresses with push button ease (networked models*)
- Optical Character Recognition (OCR) and Image Editing Software are included to convert scanned images into editable text documents (M20/M20i)
- Xerox ControlCentre[™] 5.0 lets you monitor fax usage, enter phonebook data and more right from your PC (M20i)
- Remote device management tools available to easily monitor, manage and control networked devices (networked models*)
- Optional Secure Print and Network Authentication Kit provides a higher level of document and network access security

*Networked models include the M20 with optional Network Accessory Kit or the M20i.

CentreWare IS gives your entire network access to WorkCentre M20i features.



The simple, intuitive design of C20 and M20/M20i control panels makes them easy to use. Many features are accessible with the touch of a single button.



Excellent performance

CopyCentre C20 copier and WorkCentre M20 and WorkCentre M20i copier-printers come packed with a full range of high-performance features you won't find on other office machines in this class:

- . Up to 22 ppm (Letter) speeds
- Automatic two-sided printing and copying saves paper and produces more professional looking documents
- Ultra-fast 33.6 Kbps fax transmission with 16MB of fax memory (M20i)
- Scan-once-print-many reliability and productivity
- Electronic collation saves time by eliminating manual sorting

- 100-sheet bypass tray supports envelopes, transparencies and special media
- Optional second paper tray increases capacity to 1,200-sheets



WorkCentre M20i

Rock-solid reliability.

The Xerox name is synonymous with quality, innovation and service. It also means day-in, day-out reliability. CopyCentre C20 copiers and WorkCentre M20/M20i copier-printers are extremely durable, designed and built to perform flawlessly in today's high-speed, high-pressure workgroup settings.

Security

With WorkCentre
M20/M20i, you stay in
control. The M20/M20i offers
device or optional network access
protection that's safe and flexible.
Optional Secure Print enables users to
control when confidential documents are
printed. The M20i also includes a secure
fax mode, so sensitive information prints
out only when you want it to.

C20

M20/M20i

Call today. For US and Canada product information, call 1-877-362-6567. To speak to a US Sales Representative, call 1-800-ASK-XEROX. Or visit us at www.xerox.com/office

CopyCentre® C20 / WorkCentre® M20 / M20i







SPECIFICATIONS

Copying

Speed: 22 copies per min. (letter); 21 copies per min. (A4) Resolution: 600 x 600 dpi First Copy Out: < 8 seconds Full Duplex: Yes (1-2, 2-2, 2-1) Reduce/Enlarge

Platen: 25 – 400% in 1% increments DADF: 25 – 100% in 1% increments Productivity: Scan Once Print Many, Electronic Pre-Collation standard Multiple Copies: Up to 999 copies of multiple page originals

Printing (M20, M20i)

Technology: Laser monochrome Speed: 22 ppm Letter; 21 ppm A4 Resolution: 600 x 600 dpi; 1200 x 1200 dpi interpolated First Print Out: < 9 seconds Two-Sided: Yes Secure Print: Optional Page Description Language (PDL): PCL6 emulation Standard; PostScript 3 printing support (Network products)
Print Drivers: Windows 98/NT4.0/2000/Me/XP, Interfaces: USB 2.0 standard on M20 and M20i (USB cable included); Parallel Port, IEEE 1284, 10/100BaseT Ethernet standard on M20i,

optional on M20 Scan (M20, M20i)

Compatibility: TWAIN standard Technology: Direct Connect to PC (USB); Parallel Port, IEEE 1284 Scan Resolution: Optical Resolution: 600 x 600 dpi Interpolated Resolution: 4800 dpi Pre-scan: 75 dpi

CONFIGURATIONS	CopyCentre® C20	WorkCentre® M20	WorkCentre® M20i
Speed	Up to 22 ppm		
Duty Cycle	Up to 20,000 pages per month		
Paper Handling Paper input Standard	550-sheet Standard Tray,100-sheet Bypass Tray		
Optional	550-sheet Feeder		
Paper output	250-sheet Output Tray		
Automatic 2-sided	Standard		
Copy First copy out time	As fast as 8 seconds		
Resolution	600 x 600 dpi		
Print Resolution	NA	600 x 600 dpi, 1200 x	c 1200 dpi interpolated
Processor	NA	32-bit RISC processor with video controller functionality	
Connectivity	NA	USB 2.0, Parallel	USB 2.0, Parallel, 10/100 BaseT Ethernet
Optional accessories		Optional Network Accessory Kit	
		Optional Secure Print and Network Authentication Kit [†]	
Scan Resolution	NA	600 x 600 dpi, 4800 dpi interpolated	
Scan-to-email	NA	Optional	Standard
Fax Speed	NA	NA	33.6 Kbps
Resolution	NA	NA	Presets up to 400 x 400 dpi

Depth:

Monochrome: 1 bit Text and Halftone: 20 bit Color: 60 bit Scan Driver: TWAIN Standard Bundled OCR Software: PaperPort SE 9.0, OmniPage SE v2.0

Faxing (M20i)

Transmission Speed: 3 seconds per page Communication Mode: Half Duplex Modem Speed: 33.6 Kbps Data Compression: JBIG, MMR/MR/MH (JPEG for color fax transmission) Resolution: Pre-sets up to 400 x 400 dpi Fax Memory: 16 MB Dialing Speed Dials Up to 200 locations

Group Dials Up to 199 supported Fax Features

Halftones: 256 levels Color Fax Tx/Rec: Yes/No Secure Fax: Receive Mode, secure mailbox Battery Backup: Up to 100 hours when fully charged

Email (M20i, Optional M20)

Scan to SMTP addresses Local user access and authentication Device network access and authentication Guest mode access is available Network address list search via LDAP

Device Memory

C20: 32 MB. M20: 32 MB. M20 (with Network Accessory Kit): 64 MB, M20 (with Network Authentication Kit and Secure Print)*: 160 MB, M20i: 80 MB, M20i: (with Network Authentication Kit and Secure Print): 176 MB

Device Management

ControlCentre™ 5.0, CentreWare Internet Services, CentreWare Web, CentreWare DP, NDPS and HP Openview (Networked Products)

Optional Accessories

Network Accessory Kit (M20) (customer installable) Adds 32MB Memory, Ethernet NIC, PostScript®3 printing support, Email Keyboard, and applicable software and documentation

Secure Print and Network Authentication Kit¹ (M20/M20i) (customer installable) adds 96 MB and applicable software. Enables Secure Print and Network Authentication for Scan-to-email via SMB or Kerberos

Second Paper Tray Cabinet Stand

Foreign Device Interface (Service Install)

Media Handling

Input Paper Capacity

Standard Tray: 550 sheets, optional second tray (550 sheets) Bypass Tray: 100 sheets Auto Tray Switching Capable

Minimum: 5 x 7 in. / 127 x 176 mm Maximum: 8.5 x 14 in. / 216 x 356 mm

Paper Weight

Standard Tray: 16 – 24 lb / 60 – 90 gsm Bypass Tray: 16 – 43 lb / 60 – 163 gsm Document Handler: 50 sheets

Output Tray Capacity: 250 sheets Media Types: Paper, envelopes, labels, transparencies

Physical Dimensions (WxDxH)

Unit: 21.3 x 17.4 x 19.2 in. / 540 x 441 x 488 mm, Weight: 58 lbs / 26 kg
Unit with Second Paper Tray Option:
21.3 x 17.4 x 24.4 in. / 540 x 441 x 619 mm,
Weight: 67 lbs / 30 kg
Cabinet Stand Option: 21.3 x 23.4 x 22 in. / 540 x 594 x 560 mm

Electrical

Power Switch: Yes Power: 110 VAC, 50/60 Hz or 220 VAC, 50/60 Hz Power Consumption: Average: 450 watts Power Saver Mode: 35 watts Energy Saver: ENERGY STAR® Compliant

Operating Environment

Temperature

Maximum Range 50° - 89.6°F/10° - 32°C Recommended Range 60.8° - 86°F/16° - 30°C Humidity

Maximum Range 20 – 80% Recommended Range 30 - 70%

Approximate Yields

Toner Customer Replaceable Unit (CRU) -Starter kit: 4,000 images*; Replacement kit: 8,000 images Drum Cartridge Customer Replaceable Unit

(CRU) - 20,000 images*

*Capacities are approximate, based on 5% coverage on a letter/A4-sized page. Declared yield values in accordance with ISO19572.

Agency Approvals

Safety: UL Safety CSA Safety







[†] Optional Secure Print and Network Authentication Kit is only available for networked models. (Networked models include the M20 with optional Network Accessory Kit or the M20i).